

**REVISED PROPOSED REGULATION OF THE
STATE ENVIRONMENTAL COMMISSION**

LCB File No. R101-14

December 3, 2015

EXPLANATION – Matter in *italics* is new; matter in brackets ~~omitted material~~ is material to be omitted.

AUTHORITY: §§1-3, NRS 445A.425 and 445A.520.

A REGULATION relating to water quality; revising certain water quality standards relating to the Carson River and Lahontan Reservoir; and providing other matters properly relating thereto.

Legislative Counsel’s Digest:

The State Environmental Commission is required to establish water quality standards to protect and ensure the continued beneficial use of each stream segment and other body of surface water in this State. (NRS 445A.520) This regulation revises certain water quality standards relating to the Carson River and Lahontan Reservoir.

Section 1. NAC 445A.1792 is hereby amended to read as follows:

445A.1792 The designated beneficial uses for select bodies of water within the Carson Region are prescribed in this section:

Water Body Name	Segment Description	Beneficial Uses											Aquatic Life Species of Concern	Water Quality Standard NAC Reference		
		Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh				
Carson River, West Fork at the state line	At the California-Nevada state line.	X	X	X	X	X	X	X	X						Rainbow trout and brown trout	NAC 445A.1796
Bryant Creek near the state line	From the California-Nevada state line to its confluence with the East Fork of the Carson River.	X	X	X	X	X	X	X	X						Rainbow trout and brown trout	NAC 445A.1798
Carson River, East Fork at the state line	At the California-Nevada state line.	X	X	X	X	X	X	X	X						Rainbow trout and brown trout	NAC 445A.1802
Carson River, East Fork at U.S. Highway 395 south of Gardnerville	From the California-Nevada state line to the Riverview Mobile Home Park at U.S. Highway 395 south of Gardnerville, except for the length of the river within the exterior borders of the Washoe Indian Reservation.	X	X	X	X	X	X	X	X						Rainbow trout and brown trout	NAC 445A.1804

Water Body Name	Segment Description	Beneficial Uses											Aquatic Life Species of Concern	Water Quality Standard NAC Reference		
		Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh				
Carson River, East Fork at Muller Lane	From the Riverview Mobile Home Park at U.S. Highway 395 to Muller Lane, except for the length of the river within the exterior borders of the Washoe Indian Reservation.	X	X	X	X	X	X	X	X						Rainbow trout and brown trout	NAC 445A.1806
Carson River at Genoa Lane	The East Fork of the Carson River from Muller Lane to the West Fork, the West Fork of the Carson River from the California-Nevada state line to the East Fork, and the main stem of the Carson River from the confluence of the East and West Forks to Genoa Lane.	X	X	X	X	X	X	X	X						Catfish, rainbow trout and brown trout	NAC 445A.1808
Carson River at Cradlebaugh Bridge	From Genoa Lane to U.S. Highway 395 at Cradlebaugh Bridge, except for the length of the river within the exterior borders of the Washoe Indian Reservation.	X	X	X	X	X	X	X	X						Catfish, rainbow trout and brown trout	NAC 445A.1812

Water Body Name	Segment Description	Beneficial Uses											Aquatic Life Species of Concern	Water Quality Standard NAC Reference		
		Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh				
Carson River at the Mexican Ditch Gage	From U.S. Highway 395 at Cradlebaugh Bridge to the Mexican Ditch Gage.	X	X	X	X	X	X	X	X	X					Rainbow trout and brown trout	NAC 445A.1814
Carson River near New Empire	From the Mexican Ditch Gage to New Empire.	X	X	X	X	X	X	X	X					Smallmouth bass, rainbow trout and brown trout	NAC 445A.1816	
Carson River at Dayton Bridge	From New Empire to the Dayton Bridge.	X	X	X	X	X	X	X	X					Walleye, channel catfish and white bass	NAC 445A.1818	
Carson River at {Weeks} <i>Lahontan Reservoir</i>	From the Dayton Bridge to {the U.S. Highway 95 Alt Bridge at Weeks.} <i>Lahontan Reservoir.</i>	X	X	X	X	X	X	X	X					Walleye, channel catfish and white bass	NAC 445A.1822	
{Carson River at Lahontan Dam} <i>Lahontan Reservoir</i>	{From the U.S. Highway 95 Alt Bridge at Weeks to Lahontan Dam.} <i>The entire reservoir.</i>	X	X	X	X	X	X	X	X					Walleye, channel catfish and white bass	NAC 445A.1824	
Lower Carson River	From Lahontan Reservoir to the Carson Sink (the natural channel).	X	X	X	X	X	X	X	X						NAC 445A.1826	
Daggett Creek	From its origin to the Carson River.	X	X	X	X	X	X		X						NAC 445A.1828	

Water Body Name	Segment Description	Beneficial Uses										Aquatic Life Species of Concern	Water Quality Standard NAC Reference			
		Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance			Marsh		
Genoa Creek	From its origin to the first diversion box at the mouth of the canyon, near the east line of section 9, T. 13 N., R. 19 E., M.D.B. & M.	X	X	X	X	X	X		X							NAC 445A.1832
Sierra Canyon Creek	From its origin to the first diversion structure at the mouth of the canyon, near the east line of section 4, T. 13 N., R. 19 E., M.D.B. & M.	X	X	X	X	X	X		X							NAC 445A.1834
Clear Creek at the gaging station	From its origin to gaging station number 10-3105, located in the NE 1/4 of the NW 1/4 of section 1, T. 14 N., R. 19 E., M.D.B. & M., except for the length of the creek within the exterior borders of the Washoe Indian Reservation.	X	X	X	X	X	X		X							NAC 445A.1836

Water Body Name	Segment Description	Beneficial Uses											Aquatic Life Species of Concern	Water Quality Standard NAC Reference	
		Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh			
Clear Creek at the Carson River	From gaging station number 10-3105, located in the NE 1/4 of the NW 1/4 of section 1, T. 14 N., R. 19 E., M.D.B. & M., to the Carson River, except for the length of the creek within the exterior borders of the Washoe Indian Reservation.	X	X	X	X	X	X	X	X					Trout	NAC 445A.1838
Kings Canyon	From its origin to the point of diversion of the Carson City Water Department, near the east line of section 23, T. 15 N., R. 19 E., M.D.B. & M.	X	X	X	X	X	X	X							NAC 445A.1842
Ash Canyon	From its origin to the first point of diversion of the Carson City Water Department, near the west line of section 12, T. 15 N., R. 19 E., M.D.B. & M.	X	X	X	X	X	X	X							NAC 445A.1844
V-Line Canal	From the Carson diversion dam to its division into the S and L Canals.	X	X	X	X	X	X	X	X						NAC 445A.1846

Water Body Name	Segment Description	Beneficial Uses											Aquatic Life Species of Concern	Water Quality Standard NAC Reference		
		Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh				
Rattlesnake Reservoir	The entire reservoir; also known as S-Line Reservoir.	X	X	X	X	X	X	X	X	X						NAC 445A.1848
Indian Lakes	All the lakes, including Upper Lake, Likes Lake, Papoose Lake, Big Indian Lake, Little Cottonwood Lake, Big Cottonwood Lake and East Lake.	X	X	X	X	X	X	X	X							NAC 445A.1852
Diagonal Drain	Its entire length.	X	X	X	X	X	X	X	X							NAC 445A.1854
South Carson Lake	The entire lake; also known as Government Pasture and the Greenhead Gun Club.	X	X	X	X	X	X	X	X							NAC 445A.1856
Harmon Reservoir	The entire reservoir.	X	X	X	X	X	X	X	X							NAC 445A.1858
Stillwater Marsh east of Westside Road	East of Westside Road and north of the community of Stillwater.	X	X	X	X	X	X	X	X							NAC 445A.1862
Stillwater Marsh west of Westside Road	West of Westside Road and south of the community of Stillwater.	X	X	X		X		X	X							NAC 445A.1864
Irrigation	Irrigation															
Livestock	Watering of livestock															
Contact	Recreation involving contact with the water															

Water Body Name	Segment Description	Beneficial Uses											Aquatic Life Species of Concern	Water Quality Standard NAC Reference
		Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh		
Noncontact	Recreation not involving contact with the water													
Industrial	Industrial supply													
Municipal	Municipal or domestic supply, or both													
Wildlife	Propagation of wildlife													
Aquatic	Propagation of aquatic life													
Aesthetic	Waters of extraordinary ecological or aesthetic value													
Enhance	Enhancement of water quality													
Marsh	Maintenance of a freshwater marsh[

Sec. 2. NAC 445A.1822 is hereby amended to read as follows:

445A.1822 The limits of this table apply to the body of water known as the Carson River from the Dayton Bridge to ~~the U.S. Highway 95 Alt Bridge at Weeks.~~ *Lahontan Reservoir.*

This segment of the Carson River is located in Lyon County.

STANDARDS OF WATER QUALITY

Carson River at ~~Weeks~~ *Lahontan Reservoir*

PARAMETER	REQUIREMENTS TO MAINTAIN EXISTING HIGHER QUALITY	WATER QUALITY STANDARDS FOR BENEFICIAL USES	Beneficial Use ^a										
			Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh

PARAMETER	REQUIREMENTS TO MAINTAIN EXISTING HIGHER QUALITY	WATER QUALITY STANDARDS FOR BENEFICIAL USES	Beneficial Use ^a													
			Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh			
Beneficial Uses			X	X	X	X	X	X	X	X	X					
Aquatic Life Species of Concern			Walleye, channel catfish and white bass.													
Temperature - °C ΔT^b - °C	 $\Delta T = 0$	S.V. Nov-Mar ≤ 11 S.V. Apr-Jun ≤ 24 S.V. Jul-Oct ≤ 28 $\Delta T \leq 2$			*	X										
pH - SU	S.V. 7.5 - 8.5	S.V. 6.5 - 9.0 $\Delta pH \pm 0.5$	X	X	X	*		X	X	*						
Dissolved Oxygen - mg/l		S.V. ≥ 5.0	X		*	X	X	X		X						
Total Phosphates <i>Phosphorus</i> (as P) - mg/l		A-Avg. ≤ 0.1			*	*	X	X								
Nitrogen Species (as N) - mg/l	Total Nitrogen A-Avg. ≤ 0.6 S.V. ≤ 1.1	Nitrate S.V. ≤ 10 Nitrite S.V. ≤ 1.0	X		*	X	X	*		X						
Total Ammonia (as N) - mg/l		^c			*											
Suspended Solids - mg/l		S.V. ≤ 80			*											
Turbidity - NTU	A-Avg. ≤ 25	S.V. ≤ 50			*			X								
Color - PCU	^d	S.V. ≤ 75						*								
Total Dissolved Solids - mg/l	A-Avg. ≤ 250 S.V. ≤ 380	A-Avg. ≤ 500	X	X				*								

PARAMETER	REQUIREMENTS TO MAINTAIN EXISTING HIGHER QUALITY	WATER QUALITY STANDARDS FOR BENEFICIAL USES	Beneficial Use ^a											
			Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh	
Chloride - mg/l	A-Avg. ≤ 10 S.V. ≤ 18	S.V. ≤ 250	X	X					*		X			
Sulfate - mg/l	A-Avg. ≤ 100 S.V. ≤ 140	S.V. ≤ 250							*					
Sodium - SAR	A-Avg. ≤ 2	A-Avg. ≤ 8		*					X					
Alkalinity (as CaCO ₃) - mg/l		< 25% change from natural conditions			*						X			
E. coli - No./100 ml		A.G.M. ≤ 126 S.V. ≤ 410				*	X							
Fecal Coliform - No./100 ml	A.G.M. ≤ 90 S.V. ≤ 240	S.V. ≤ 1,000	X	*			X	X		X				

* = The most restrictive beneficial use.

X = Beneficial use.

^a Refer to NAC 445A.122 and 445A.1792 for beneficial use terminology.

^b Maximum allowable increase in temperature above water temperature at the boundary of an approved mixing zone, but the increase must not cause a violation of the single value standard.

^c The ambient water quality criteria for ammonia are specified in NAC 445A.118.

^d Increase in color must not be more than 10 PCU above natural conditions.

Sec. 3. NAC 445A.1824 is hereby amended to read as follows:

445A.1824 The limits of this table apply to the *entire* body of water known as ~~the Carson River from the U.S. Highway 95 Alt Bridge at Weeks to Lahontan Dam. This segment of the~~

~~Carson River~~ *Lahontan Reservoir. Lahontan Reservoir* is located in Churchill and Lyon Counties.

STANDARDS OF WATER QUALITY

~~Carson River at Lahontan Dam~~ *Lahontan Reservoir*

PARAMETER	REQUIREMENTS TO MAINTAIN EXISTING HIGHER QUALITY	WATER QUALITY STANDARDS FOR BENEFICIAL USES	Beneficial Use ^a												
			Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh		
Beneficial Uses			X	X	X	X	X	X	X	X	X				
Aquatic Life Species of Concern			Walleye, channel catfish and white bass.												
Temperature - °C ΔT ^b - °C	ΔT = 0	S.V. Nov-Mar ≤ 11 S.V. Apr-Jun ≤ 24 S.V. Jul-Oct ≤ 28 ΔT ≤ 2			*	X									
pH - SU		S.V. 6.5 - 9.0 ΔpH ± 0.5	X	X	X *	*		X	X	*					
Dissolved Oxygen - mg/l		S.V. ≥ 5.0 ^c	X		*	X	X	X		X					
Total Phosphates <i>Phosphorus</i> (as P) - mg/l		S.V. ≤ 0.06 <i>Avg. Jun-Sep ≤ 0.09^d</i>			*	*	X	X							
Nitrogen Species (as N) - mg/l	Total Nitrogen A-Avg. ≤ 1.3 S.V. ≤ 1.7	Nitrate S.V. ≤ 10 Nitrite S.V. ≤ 1.0	X		*	X	X	*		X					

PARAMETER	REQUIREMENTS TO MAINTAIN EXISTING HIGHER QUALITY	WATER QUALITY STANDARDS FOR BENEFICIAL USES	Beneficial Use ^a																	
			Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh							
Total Ammonia (as N) - mg/l		1.0			*															
Suspended Solids - mg/l		S.V. ≤ 25			*															
Turbidity - NTU	A-Avg. ≤ 15 S.V. ≤ 27	S.V. ≤ 50			*				X											
Color - PCU	100	S.V. ≤ 75							*											
Total Dissolved Solids - mg/l	A-Avg. ≤ 175 S.V. ≤ 225	A-Avg. ≤ 500	X	X					*											
Chloride - mg/l	A-Avg. ≤ 9 S.V. ≤ 15	S.V. ≤ 250 <i>1-hour Avg. ≤ 860^g</i> <i>96-hour Avg. ≤ 230</i>	X	X	*				X X		X									
Sulfate - mg/l	A-Avg. ≤ 35 S.V. ≤ 50	S.V. ≤ 250							*											
Sodium - SAR	A-Avg. ≤ 2	A-Avg. ≤ 8			*				X											
Alkalinity (as CaCO ₃) - mg/l		< 25% change from natural conditions <i>S.V. ≥ 20</i>			*						X									
E. coli - No./100 ml		A.G.M. ≤ 126 S.V. ≤ 235				*		X												
Fecal Coliform - No./100 ml	A.G.M. ≤ 25 S.V. ≤ 75	S.V. ≤ 1,000	X	*				X	X		X									

* = The most restrictive beneficial use.

X = Beneficial use.

^a Refer to NAC 445A.122 and 445A.1792 for beneficial use terminology.

^b Maximum allowable increase in temperature above water temperature at the boundary of an approved mixing zone, but the increase must not cause a violation of the single value standard.

^c *When reservoir is stratified, the dissolved oxygen criterion applies only to epilimnion.*

^d *June-September average for a basin within the upper meter of the water column.*

^e The ambient water quality criteria for ammonia are specified in NAC 445A.118.

^f Increase in color must not be more than 10 PCU above natural conditions.

^g *One-hour and 96-hour average concentration limits may be exceeded only once every 3 years.*